

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| L4 | 40 | ("5146575").URPN. | USPAT | OR | ON | 2006/02/16 15:16 |
| L5 | 12 | L4 and (multiprocess\$3 or multi-process\$3) and encrypt\$3 and public and private and key\$1 and session\$1 and RAM and ROM and memory | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2006/02/16 15:17 |
| L6 | 13 | L4 and (multiprocess\$3 or multi-process\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2006/02/16 15:18 |
| L7 | 13 | L4 and (multiprocess\$3 or multi-process\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2006/02/16 15:19 |
| L8 | 35 | L4 and (multiprocess\$3 or multi-process\$3 or multiple) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2006/02/16 15:20 |
| L9 | 13 | L4 and (multiple near process\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2006/02/16 15:22 |
| L10 | 39 | L4 and (process\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2006/02/16 15:23 |
| L11 | 21 | L4 and (process\$3) and memory and allocat\$ | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2006/02/16 15:24 |
| S1 | 2 | (("5995628") or ("5146575")).PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | OFF | 2006/02/14 13:37 |
| S2 | 40 | ("5146575").URPN. | USPAT | OR | ON | 2006/02/16 15:14 |
| S3 | 9 | ("5995628").URPN. | USPAT | OR | ON | 2006/02/14 13:41 |
| S4 | 40 | ("5146575").URPN. | USPAT | OR | ON | 2006/02/14 17:53 |
| S5 | 12 | S4 and multiprocessor\$ | USPAT | OR | ON | 2006/02/14 17:54 |
| S6 | 8543 | S4 and multiprocessor\$ or (multiple near processor\$) | USPAT | OR | ON | 2006/02/14 17:54 |

| | | | | | | |
|-----|----|--|-------|----|----|------------------|
| S7 | 12 | S4 and (multiprocessor\$ or (multiple near processor\$)) | USPAT | OR | ON | 2006/02/14 17:56 |
| S8 | 12 | S4 and (multiprocess\$) | USPAT | OR | ON | 2006/02/14 17:56 |
| S9 | 9 | ("5995628").URPN. | USPAT | OR | ON | 2006/02/14 17:56 |
| S10 | 1 | S9 and (multiprocess\$) | USPAT | OR | ON | 2006/02/14 17:57 |
| S11 | 1 | S9 and (multiprocess\$) and encrypt\$ and key and (software or program or code) | USPAT | OR | ON | 2006/02/14 17:59 |
| S12 | 19 | ((Software or code or program or content) with distribut\$3) and (multiprocess\$3 or multi-process\$3) and encrypt\$3 and public and private and key\$1 and session\$1 and RAM and ROM and memory and drive and controller and secur\$3 and (fee or pay\$3 or commission) and @ad<"20010530" | USPAT | OR | ON | 2006/02/15 12:21 |
| S13 | 21 | ((Software or code or program or content) with distribut\$3) and (multiprocess\$3 or multi-process\$3) and encrypt\$3 and public and private and key\$1 and session\$1 and RAM and ROM and memory and drive and controller and (fee or pay\$3 or commission) and @ad<"20010530" | USPAT | OR | ON | 2006/02/15 11:16 |
| S14 | 20 | ((Software or code or program or content) with distribut\$3) and (multiprocess\$3 or multi-process\$3) and encrypt\$3 and public and private and key\$1 and session\$1 and (nonvolatile or non-volatile) and memory and drive and controller and (fee or pay\$3 or commission) and @ad<"20010530" | USPAT | OR | ON | 2006/02/15 11:44 |
| S15 | 16 | ((Software or code or program or content) with distribut\$3) and (multiprocess\$3 or multi-process\$3) and encrypt\$3 and public and private and key\$1 and session\$1 and (nonvolatile or non-volatile) and memory and CPU and controller and (fee or pay\$3) and (user\$1 or customer\$1) and @ad<"20010530" | USPAT | OR | ON | 2006/02/15 11:51 |

| | | | | | | |
|-----|----|--|-------|----|----|------------------|
| S16 | 62 | ((Software or code or program or content) with distribut\$3) and (multiprocess\$3 or multi-process\$3) and (nonvolatile or non-volatile) and memory and CPU and controller and (fee or pay\$3) and (user\$1 or customer\$1) and @ad<"20010530" | USPAT | OR | ON | 2006/02/15 12:09 |
| S17 | 0 | ((Software or code or program or content) with distribut\$3) and (nonvolatile or non-volatile) and (multiple near memory) and CPU and controller and (fee or pay\$3) and ((multiprocess\$3 or multi-process\$3) with (user\$1 or customer\$1 or client)) and @ad<"20010530" | USPAT | OR | ON | 2006/02/15 12:11 |
| S18 | 11 | ((Software or code or program or content) with distribut\$3) and (nonvolatile or non-volatile) and memory and CPU and controller and (fee or pay\$3) and ((multiprocess\$3 or multi-process\$3) with (user\$1 or customer\$1 or client)) and @ad<"20010530" | USPAT | OR | ON | 2006/02/15 12:14 |
| S19 | 14 | ((Software or code or program or content) with distribut\$3) and (nonvolatile or non-volatile) and memory and CPU and controller and (fee or pay\$3) and (multiprocess\$3 or multi-process\$3) and (user\$1 or customer\$1 or client) and (allocat\$ with \$task\$) and @ad<"20010530" | USPAT | OR | ON | 2006/02/15 12:17 |
| S20 | 16 | ((Software or code or program or content) with distribut\$3) and (nonvolatile or non-volatile) and memory and CPU and (fee or pay\$3) and (multiprocess\$3 or multi-process\$3) and (user\$1 or customer\$1 or client) and (allocat\$ with \$task\$) and @ad<"20010530" | USPAT | OR | ON | 2006/02/15 12:19 |
| S21 | 24 | ((Software or code or program or content) with distribut\$3) and (nonvolatile or non-volatile) and memory and CPU and (fee or pay\$3) and (multiprocess\$3 or multi-process\$3) and (user\$1 or customer\$1 or client) and (allocat\$ with (\$task\$ or function\$1)) and @ad<"20010530" | USPAT | OR | ON | 2006/02/15 12:20 |

| | | | | | | |
|-----|---|---|---|----|-----|------------------|
| S22 | 2 | ((multiprocess\$3 or multi-process\$3) with encrypt\$3) and public and private and key\$1 and session\$1 and memory and drive and controller and @ad<"20010530" | USPAT | OR | ON | 2006/02/15 12:23 |
| S23 | 7 | ((multiprocess\$3 or multi-process\$3) with encrypt\$3) and key\$1 and memory and drive and controller and @ad<"20010530" | USPAT | OR | ON | 2006/02/15 12:25 |
| S24 | 2 | ((multiprocess\$3 or multi-process\$3) with encrypt\$3) and key\$1 and memory and drive and (allocat\$ with (function\$1 or \$task\$)) and @ad<"20010530" | USPAT | OR | ON | 2006/02/15 12:27 |
| S25 | 8 | ((multiprocess\$3 or multi-process\$3) with encrypt\$3) and key\$1 and memory and drive and ((allocat\$ or manag\$5) with (function\$1 or \$task\$)) and @ad<"20010530" | USPAT | OR | ON | 2006/02/16 14:11 |
| S31 | 1 | ("6427140").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | OFF | 2006/02/15 17:46 |
| S32 | 0 | S31 and (memor\$ with encrypt\$) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2006/02/15 17:46 |
| S33 | 1 | S31 and (memor\$ with encrypt\$) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2006/02/15 17:58 |
| S34 | 1 | S31 and (multiprocess\$ with encrypt\$) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2006/02/15 18:06 |
| S35 | 1 | S31 and (allocat\$ with \$task\$) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2006/02/15 18:12 |
| S36 | 1 | S31 and (manag\$ with \$task\$) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2006/02/15 18:12 |

| | | | | | | |
|-----|---|--|---|----|----|------------------|
| S37 | 1 | S31 and (manag\$ with (\$task\$ or function\$1)) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2006/02/15 18:20 |
| S38 | 1 | S31 and (memor\$ with byte\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2006/02/15 18:21 |
| S39 | 1 | S31 and ((memor\$ or stor\$3) with byte\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB | OR | ON | 2006/02/15 18:22 |